




10/820733

Docket No.: 251581US2CONT



ATTORNEYS AT LAW

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

RE: Inventor: Hiroyuki SUHARA, et al.

Patent No.: 6,870,652

Issued: March 22, 2005

Group Art Unit: 2872

Examiner: PHAN, James

For: OPTICAL SCANNING LENS, OPTICAL SCANNING
DEVICE AND IMAGE FORMING APPARATUS

Certificate
MAY 13 2005
of Correction

SIR:

Attached hereto for filing are the following papers:

REQUEST FOR CERTIFICATE OF CORRECTION
CERTIFICATE OF CORRECTION FORM PTO 1050 (IN DUPLICATE)

Our credit card payment form in the amount of \$100.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

05/09/2005 CNGUYEN1 00000084 6870652

01 FC:1811

100.00 DP

Customer Number

22850

Tel. (703) 413-3000

Fax. (703) 413-2220

(OSMMN 05/04)

I:\USER\AGMAH\COC\251581US REQ FOR COC.DOC

Marvin J. Spivak

Registration No. 24,913

Joseph Scafetta, Jr.

Registration No. 26,803

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,870,652
DATED: March 22, 2005
INVENTOR(S): Hiroyuki SUHARA, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16, line 36, change "20.7%" to --0.7%--.

Column 17, line 25, change " 0.4×10^5 " to -- 0.4×10^{-5} --.

Mailing address of sender:

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

Patent No. 6,870,652

No. of add'l copies
@ .30 per page

